

TÜBİTAK ULUSAL METROLOJİ ENSTİTÜSÜ



Certificate of the Reference Material

Page 1/4

Name of the Material : Elements in Spring Water

Material Code : UME CRM 1201

Issue Date : 30.07.2013

Revision Date : 16.12.2025 (Revision history can be found on the last page)

Validity Period of the Certificate

5 year from the sales date

Certified Values :

Element	Mass Fraction ^[1] (μg/kg)	Uncertainty ^[2] (µg/kg)	Element	Mass Fraction ^[1] (mg/kg)	Uncertainty ^[2] (mg/kg)
As	6.50	0.38	Al	0.102	0.005
Cd	3.95	0.15	В	0.476	0.023
Co	9.60	0.30	Ва	0.313	0.014
Cr	34.6	1.2	Ca	3.91	0.14
Cu	83.1	2.6	K	0.410	0.028
Fe	45.6	2.7	Mg	0.867	0.033
Mn	14.5	0.5	Na	3.13	0.11
Ni	16.8	0.7	Zn	0.104	0.005
Р	96.4	5.7			
Pb	14.7	0.4			
Sb	5.37	0.59			
Sn	1.50	0.08			
Sr	21.9	1.1			

^[1] Calculated from the unweighted mean of the accepted results submitted by the laboratories using different methods. The certified values are traceable to the International System of Units (SI).

TÜBİTAK UME has been accredited by TÜRKAK as a reference material producer under the accreditation number AB-0001-RM in accordance with the TS EN ISO 17034:2018 standard.

Turkish Accreditation Agency (TÜRKAK) is a signatory to the European Cooperation for Accreditation (EA) Multilateral Agreement (MLA) and the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement (MRA) for the recognition of reference material certificates.

Sales Date

Assoc. Prof. Mustafa ÇETİNTAŞ

Director

^[2] The expanded uncertainty of certified value includes characterization, homogeneity, stability components and is stated as the standard uncertainty of measurement multiplied by the coverage factor k = 2, which for a normal distribution corresponds to a coverage probability of approximately 95%. The standard uncertainty of measurement has been determined in accordance with GUM "Guide to the Expression of Uncertainty in Measurement".

Page 2/4

TÜBİTAK ULUSAL METROLOJİ ENSTİTÜSÜ

NATIONAL METROLOGY INSTITUTE

UME CRM 1201

Informative Values

Parameter	Value
Density (22 °C)	1.0083 g/cm ^{3 [1]}

[1] The value is based on three independent replicates of three units from one laboratory.

Description

The material is in a high density polyethylene plastic bottle containing about 100 mL of spring water. The content is acidified to have a final concentration of about 2% HNO₃ (w/v). Additional information is given in the certificate report.

Intended Use

This material is intended to be used for method validation of the determination of element mass fractions in spring waters and quality control purposes.

Instructions for Use

The bottle must be shaken before opening for assurance of homogeneity. All precautions must be taken in order to prevent degradation or contamination with air intact. Minimum sample intake is 0.25 mL for all analytes. The material can be safely dispatched at ambient temperature where the temperature does not exceed 60 °C and the transportation period of 4 weeks.

Storage Conditions

The material should be stored at (18 ± 4) °C in dark.

TÜBİTAK UME cannot be held responsible for changes that might happen to the material at customer's premises due to noncompliance of the instructions for use, and the storage conditions given in the certificate.

Safety Information

Usual laboratory precautions apply. It is strongly recommended that the material must be handled and disposed according to the safety guidelines where applicable.

Please refer to the Safety Datasheet before any use of the material.

Page 3/4

TÜBİTAK ULUSAL METROLOJİ ENSTİTÜSÜ

NATIONAL METROLOGY INSTITUTE

UME CRM 1201

Participants

Information about the laboratories participated in the characterization study are given in the following table.

Laboratory	Address	
AEM Çevre Laboratuvar Analiz Tic. A.Ş.	Bağlarbaşı Mah. Feyzullah Cad. No:119 Maltepe / Istanbul, Turkey	
ALS-Czech	ALS Czech Republic, s.r.o. Na Harfě 336/9, 190 00, Praha 9, Czechia	
ALS-Scandinavia	ALS Scandinavia AB Aurorum 10 SE-977 75 Luleå, Sweden	
AST Çevre Ölçüm ve Analiz Laboratuvarı	Yeniyol Sk. Etap İş Merkezi B Blok D:10 K:3 Acıbadem Kadıköy / Istanbul, Turkey	
ÇEVRE Analiz Gıda ve Endüstriyel Analiz Laboratuvarları	Merkez Mh. Tatlıpınar SokNo:13 K:2/A Kağıthane / Istanbul, Turkey	
TÜBİTAK BUTAL	Gaziakdemir Mah. Merinos Cad. No:11 16190 Osmangazi / Bursa, Turkey	
TÜBİTAK UME	TÜBİTAK Gebze Yerleşkesi Barış Mah. Dr. Zeki Acar Cad. No:1, 41470 Gebze / Kocaeli, Turkey	
UBA WIEN	Umweltbundesamt GmbH Spittelauer Lände 5 1090 Wien, Austria	
VASYD	Box 191, 201 21 Malmö, Sweden	

Methods and/or Techniques Used for the Determination of the Certified Values

Techniques used in the characterisation studies are given in the following table.

Method/Technique	Parameter	
Graphite Furnace Atomic Absorption Spectrometry (GFAAS)	As, Ba, Cd, Cr, Cu, Ni, Pb	
Flame Atomic Absorption Spectrometry (FAAS)	Mg, Na, Zn	
Atomic Emission Spectrometry (AES)	Al, B, Ba, Co, Cu, Fe, K, Mg, Na, Ni, P, Sr, Zn	
Inductively Coupled Plasma Mass Spectrometry (ICP-MS)	Al, As, B, Ba, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, P, Pb, Sb, Sn, Sr, Zn	
Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES)	Al, B, Ba, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, P, Pb, Sr, Zn	

Page 4/4

TÜBİTAK ULUSAL METROLOJİ ENSTİTÜSÜ

NATIONAL METROLOGY INSTITUTE

UME CRM 1201

Revision History

Date	Remarks
30.07.2013	First issue.
08.11.2018	Certificate is updated due to format change of the document.
18.09.2019	Information about shipping conditions is added. Certificate is updated due to changes in the format of certificate for reference materials.
16.12.2025	Certificate is updated due to corporate identity (logo) change of TÜBİTAK UME.